

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 17-48-00668  
Name of Facility: Beulah Academy of Science  
Address: 8633 Beulah Road  
City, Zip: Pensacola 32526

Type: School (more than 9 months)  
Owner: Beulah Academy of Science  
Person In Charge: Beth Wass Phone: (850) 944-2822  
PIC Email: bwass@bascience.com

**Inspection Information**

Purpose: Routine  
Inspection Date: 11/29/2022  
Correct By: Next Inspection  
**Re-Inspection Date: None**

Number of Risk Factors (Items 1-29): 0  
Number of Repeat Violations (1-57 R): 0  
Facility Grade: N/A  
Stop Sale: No

Begin Time: 10:05 AM  
End Time: 10:40 AM

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- NA** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

**SAFE FOOD AND WATER**

- IN** 30. Pasteurized eggs used where required
- IN** 31. Water & ice from approved source
- NA** 32. Variance obtained for special processing

**FOOD TEMPERATURE CONTROL**

- IN** 33. Proper cooling methods; adequate equipment
- IN** 34. Plant food properly cooked for hot holding
- IN** 35. Approved thawing methods
- IN** 36. Thermometers provided & accurate

**FOOD IDENTIFICATION**

- IN** 37. Food properly labeled; original container

**PREVENTION OF FOOD CONTAMINATION**

- IN** 38. Insects, rodents, & animals not present
- IN** 39. No Contamination (preparation, storage, display)
- OUT** 40. Personal cleanliness
- IN** 41. Wiping cloths: properly used & stored
- NO** 42. Washing fruits & vegetables

**PROPER USE OF UTENSILS**

- IN** 43. In-use utensils: properly stored
- IN** 44. Equipment & linens: stored, dried, & handled
- IN** 45. Single-use/single-service articles: stored & used

- NO** 46. Slash resistant/cloth gloves used properly

**UTENSILS, EQUIPMENT AND VENDING**

- IN** 47. Food & non-food contact surfaces
- IN** 48. Ware washing: installed, maintained, & used; test strips
- IN** 49. Non-food contact surfaces clean

**PHYSICAL FACILITIES**

- IN** 50. Hot & cold water available; adequate pressure
- IN** 51. Plumbing installed; proper backflow devices
- IN** 52. Sewage & waste water properly disposed
- IN** 53. Toilet facilities: supplied, & cleaned
- IN** 54. Garbage & refuse disposal
- OUT** 55. Facilities installed, maintained, & clean
- IN** 56. Ventilation & lighting
- IN** 57. Permit; Fees; Application; Plans

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

**Violation #40. Personal cleanliness**

Food worker observed without an effective hair restraint. Long hair was not completely restrained. Ensure that when using a hat, any hair that cannot be covered by the hat should be restrained. Corrected.

CODE REFERENCE: 64E-11.003(3). Employees shall wear effective hair restraints; clean outer clothing; gloves when nails are artificial, polished, or not trimmed; and not wear prohibited jewelry.

**Violation #55. Facilities installed, maintained, & clean**

An accumulation of grease observed on the walls and floor surrounding the deep fryer station. Clean this area thoroughly to remove the grease. Clean regularly to prevent the accumulation of grease around the station.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

The violation for the low water temperature in the automatic dishwasher has been corrected since the last inspection. Thermoworks Dishtemp max read thermometer indicates the final surface temperature to be 166F (should be 160F or greater). The kitchen manager has obtained a max read Dishtemp thermometer to test the dishwasher on a regular basis.

Notes:

Milk Cooler - 38 F- Milk line/ Kitchen 40F

RICs-41F rear kitchen/ Freezer -7

Serving line: Hamburger patty 190F

Display case: 41F

Lunch Service from 10:00 A.M. to 11:15 A.M.

Email Address(es): bwass@basience.com

Inspection Conducted By: LeeAnn Lutz (003359)  
Inspector Contact Number: Work: (850) 595-6700 ex. 2051  
Print Client Name: Beth Wass  
Date: 11/29/2022

Inspector Signature:

Handwritten signature of LeeAnn Lutz.

Client Signature:

Handwritten signature of Beth Wass.